OIPE	14068
JUN 3	انة 1000 ق
B (	**************************************

0 5000 Å			
Conservation of the second		Application No.	10/579,048
TRANSMITTAL FORM		Filing Date	May 9, 2006
(to be used for all corresponder	(to be used for all correspondence after initial filing)		Minerva M. Yeung
		Art Unit	
		Examiner Name	
Total Number of Pages in This S	ubmission	Attorney Docket Number	42P17842
E	NCLOSURES (chec	k all that apply)	
Fee Transmittal Form	Drawing(s)		After Allowance Communication to TC
Fee Attached	Licensing-	related Papers	Appeal Communication to Board of Appeals and Interferences
Amendment / Response	Petition		Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)
After Final Affidavits/declaration(s)	Petition to Provisional	Convert a Application	Proprietary Information
Extension of Time Request	Power of A Change of	attorney, Revocation Correspondence Address	Status Letter
Express Abandonment Request Termina		isclaimer	Other Enclosure(s) (please identify below):
Information Disclosure Stateme	nt Request fo	r Refund	Return postcard
PTO/SB/08	. CD, Number	er of CD(s)	
Certified Copy of Priority Document(s)	Lands	cape Table on CD	
Response to Missing Parts/ Incomplete Application	Remarks		
Basic Filing Fee		 il No.: EV777143058	211
Declaration/POA	Express Ma	11140 EV177140000	00
Response to Missing Parts under 37 CFR 1.52 or 1.53			
SIGN	ATURE OF APPLICA	NT, ATTORNEY, OR A	GENT
Firm Gregory I	). Caldwell, Reg. N	o. 39,926	
Individual name BLAKE	LY, SOKOLOFF,	TAYLOR & ZAFM	IAN LLP
Signature			
Date June 39,	2006		
CI	RTIFICATE OF MAII	ING/TRANSMISSION	
I hereby certify that this corresponder sufficient postage as first class mail in Alexandria, VA 22313-1450.			Service on the date shown below with issioner for Patents, P.O. Box 1450,
Typed or printed name Kather	ine Jennings		
Signature  Signature  Based on PTO/SB/21 (09-04) as mooting by Blake	unhertenm		Date June 30, 2006

SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

JUN 3 0 2006 B

1807

1806

1809

1810

50

180

790

790

Other fee (specify)

1807

1806

1809

2810

#### Complete if Known **ANSMITTAL** Application Number 10/579.048 Filing Date May 9, 2006 First Named Inventor Minerva M. Yeung Patent fees are subject to annual revision Examiner Name Applicant claims small entity status. See 37 CFR 1.27. Art Unit **TOTAL AMOUNT OF PAYMENT** Attorney Docket No. 42P17842 METHOD OF PAYMENT (check all that apply) ☐ Check ☐ Credit card ☐ Money Order ☒ None Other (please identify): Deposit Account Deposit Account Number: 02-2666 Deposit Account Name: Blakely, Sokoloff, Taylor & Zafman LLP For the above-identified deposit account, the Director is hereby authorized to: (check all that apply) Charge fee(s) indicated below, except for the filing fee ☐ Charge fee(s) indicated below ☐ Charge any additional fee(s) or underpayment of fee(s) Credit any overpayments under 37 CFR §§ 1.16, 1.17, 1.18 and 1.20. **FEE CALCULATION** Large Entity Small Entity Fee Fee Fee Fee Fee Description Fee Paid Code (\$) Code (\$) 1051 130 2051 65 Surcharge - late filing fee or oath 1052 50 2052 <sup>25</sup> Surcharge - late provisional filing fee or cover sheet. 2053 2053 130 130 Non-English specification 2251 1251 120 60 Extension for reply within first month 1252 2252 450 225 Extension for reply within second month 2253 1253 1,020 510 Extension for reply within third month 1254 1,590 2254 795 Extension for reply within fourth month 1255 2,160 2255 1,080 Extension for reply within fifth month 1401 500 2401 <sup>250</sup> Notice of Appeal 1402 500 2402 <sup>250</sup> Filing a brief in support of an appeal 1403 1.000 2403 500 Request for oral hearing 1451 1.510 2451 1,510 Petition to institute a public use proceeding 1460 2460 130 130 Petitions to the Commissioner

SUBMITTED B	Y			Comp	olete (if applicable)
Name (Print/Type)	Gregory D. Caldwell	Registration No. (Attorney/Agent)	39,926	Telephone	(503) 439-8778
Signature	all a	<del>/                                    </del>		Date	06/30/06

50 Processing fee under 37 CFR 1.17(g)

<sup>180</sup> Submission of Information Disclosure Stmt

395 Filing a submission after final rejection (37 CFR § 1.129(a))

395 For each additional invention to be examined (37 CFR § 1.129(b))

SUBTOTAL (2)

中华人民共和国国家知识产权局 STATE INTELLECTUAL PROPERTY OFFICE OF THE PEOPLE'S REPUBLIC OF CHINA



# 证明

#### **CERTIFICATE**

本证明之附件是向中国专利局作为受理局提交的下列国际申请副本 S IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY OF THE BELOW DENTIFIED INTERNATIONAL APPLICATION THAT WAS FILED WITH THE CHINESE PATENT OFFICE AS RECEIVING OFFICE

申请号:

PCT/CN03/001088

ATIONAL APPLICATION NUMBER

申请日:

19 DEC 2003(19.12.03)

TILNAL FILING DATE

名 称:

Creating Responses for an Electronic

INVENTION

Pen-Computer Multimedia Interactive System

CERTIFIED COPY OF PRIORITY DOCUMENT

中华人民共和国国家知识产权局局长 DMMISSIONER OF THE STATE INTELLECTUAL PROPERTY OFFECE OF THE PEOPLE'S REPUBLIC OF CHINA

田力等

二零零六年四月十七日 APRIL 17, 2006

# PCT

#### REQUEST

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

_	For	receiving	Office	use	only	

PCT/CN 03/0 1088

International Application No.

19 DEC 2003 (19.12.03)

International Filing Date

RO/CN 中华人民共和国国家知识产权局 PCT International Application

Name of receiving Office and "PCT International Application"

Applicant's or agent's file reference (if desired) (12 characters maximum) P3958/BST TITLE OF INVENTION Box No. I Creating Responses for an Electronic Pen-Computer Multimedia Interactive System This person is also inventor Box No. II APPLICANT Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) Telephone No. Facsimile No. (Intel Corporation) INTEL CORPORATION 2200 Mission College Boulevard Teleprinter No. Santa Clara, California 95052 United States of America Applicant's registration No. with the Office State (that is, country) of residence: State (that is, country) of nationality: US US the United States the States indicated in the Supplemental Box all designated States except the United States of America This person is applicant all designated of America only for the purposes of: FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S) Box No. III Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) This person is: applicant only INTEL CHINA LTD. (Intel China Ltd:) applicant and inventor Beijing Kerry Center inventor only (If this check-box 6/F, North Tower, No.1 GuangHua Road is marked, do not fill in below.) Chao Yang District 100020 Applicant's registration No. with the Office China Bei State (that is, country) of residence: State (that is, country) of nationality: CN CN the States indicated in the Supplemental Box the United States of America only This person is applicant for the purposes of: all designated States all designated States except the United States of America X Further applicants and/or (further) inventors are indicated on a continuation sheet. AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE Box No. IV The person identified below is hereby/has been appointed to act on behalf common agent representative of the applicant(s) before the competent International Authorities as: Name and address: (Family name followed by given name; for a legal entity, full official designation.

The address must include postal code and name of country.) Telephone No. 86-10-88087206 \* KANGXIN & PARTNERS Kangxin & Partners7 Facsimile No. 86-10-88087200 Suite 2516, Xinlong Mansion A33 Erlonglu, Xicheng District Teleprinter No. Beijing 100032 P.R.China Agent's registration No. with the Office 11240004 Address for correspondence: Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.

Sheet No.	2	<u></u>
Continuation of Box No. III FURTHER APPLICANT(S) A	ND/OR (FURTHER)	INVENTOR(S)
If none of the following sub-boxes is used, this sheet should not	t be included in the req	quest.
Name and address: (Family name followed by given name; for a legal entity the address must include postal code and name of country. The country of the Box is the applicant's State (that is, country) of residence if no State of residence of the State of America	e address indicated in this	This person is:  applicant only  applicant and inventor  inventor only (If this check-box is marked, do not fill in below.)  Applicant's registration No. with the Office
State (that is, country) of nationality: US	State (that is, country,	) of residence:
This person is applicant for the purposes of:  all designated the United States all designated the United States		the United States the States indicated in the Supplemental Box
Name and address: (Family name followed by given name; for a legal entite the address must include postal code and name of country. The country of the Box is the applicant's State (that is, country) of residence if no State of residence.  YEO, Boon-Lock 969 Sutter Avenue Sunnyvale, California 94086 United States of America	e address indicated in this	This person is:  applicant only  applicant and inventor  inventor only (If this check-box is marked, do not fill in below.)  Applicant's registration No. with the Office
State (that is, country) of nationality: SG	State (that is, country, US	
This person is applicant for the purposes of:  all designated the United States all designated the United St	States except ates of America	the United States of America only the States indicated in the Supplemental Box
Name and address: (Family name followed by given name; for a legal entity the address must include postal code and name of country. The country of the Box is the applicant's State (that is, country) of residence if no State of residence LI, Dan Room 301, Bldg. 83 PingJiYiCun, HongXin Road Shanghai 200336 China	e address indicated in this	This person is:  applicant only  applicant and inventor inventor only (If this check-box is marked, do not fill in below.)  Applicant's registration No. with the Office
State (that is, country) of nationality:	State (that is, country	) of residence:
This person is applicant all designated all designated	d States except ates of America	the United States of America only the States indicated in the Supplemental Box
Name and address: (Family name followed by given name; for a legal entity of the address must include postal code and name of country. The country of the Box is the applicant's State (that is, country) of residence if no State of residence TANG, Xing Room 1201, Bldg. 39 155 Lane of Lianhua (South) Road Shanghai 200237 China	ne address indicated in this	This person is:  applicant only  applicant and inventor inventor only (If this check-box is marked, do not fill in below.)  Applicant's registration No. with the Office
State (that is, country) of nationality:	State (that is, country)	
This person is applicant all designated states all designated the United St	d States except tates of America	the United States of America only the States indicated in the Supplemental Box
Further applicants and/or (further) inventors are indicated of	on another continuation	sheet.

		Sheet No?
ox No. V	DESIGNATION OF STATES	Mark the applicable check-boxes below; at least one must be marked.

. 1	1 1
~~\	\ //
~ . /	1
	, l'

The following designations are hereby made under Rule 4.9(a):

#### Regional Patent


- EA Eurasian Patent: AM Armenia, AZ Azerbaijan, BY Belarus, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldova, RU Russian Federation, TJ Tajikistan, TM Turkmenistan, and any other State which is a Contracting State of the Eurasian Patent Convention and of the PCT
- EP European Patent: AT Austria, BE Belgium, BG Bulgaria, CH & LI Switzerland and Liechtenstein, CY Cyprus, CZ Czech Republic, DE Germany, DK Denmark, EE Estonia, ES Spain, FI Finland, FR France, GB United Kingdom, GR Greece, HU Hungary, IE Ireland, IT Italy, LU Luxembourg, MC Monaco, NL Netherlands, PT Portugal, RO Romania, SE Sweden, SI Slovenia, SK Slovakia, TR Turkey, and any other State which is a Contracting State of the European Patent Convention and of the PCT

Na	tion	al Patent (if other kind of protection	or	treat	ment desired, specify on dotted line):			
	ΑE	United Arab Emirates	X	HR				Oman
		Antigua and Barbuda	X	HU	Hungary	X	PG	Papua New Guinea
X	ΑL	Albania	X	m	Indonesia ·			Philippines
V	AM	Armenia	X	IL	Israel	X	PL	Poland
X	AT	Austria	X	IN	India	X	PT	Portugal
X	ΑU	Australia	X	IS	Iceland			Romania
X	AZ	Azerbaijan	X	JP	Japan	X	RU	Russian Federation
X	BA	Bosnia and Herzegovina	X	KE	Kenya			
X	BB	Barbados	X	KG	Kyrgyzstan	X	$\mathbf{sc}$	Seychelles
X	$\mathbf{B}\mathbf{G}$	Bulgaria	X	KР	Democratic People's Republic	X	SD	Sudan
X	BR	Brazil			of Korea	X	SE	Sweden
X	BY	Belarus	X	KR	Republic of Korea	X	SG	Singapore
Ø	BZ	Belize	X	ΚZ	Kazakhstan	X	SK	Slovakia
X	CA	Canada .	X	LC	Saint Lucia			Sierra Leone
X	СН	& LI Switzerland and Liechtenstein	X	LK	Sri Lanka	•		Syrian Arab Republic
X	CN	China	X	LR	Liberia			Tajikistan
X	СО	Colombia	X	LS	Lesotho			Turkmenistan
X	CR	Costa Rica	X	LT	Lithuania			Tunisia
X	CU	Cuba	X	LU	Luxembourg			Turkey
X	$\mathbf{CZ}$	Czech Republic	X	LV	Latvia	X	TT	Trinidad and Tobago
X	DE	Germany	X	MA	Morocco			
X	DK	Denmark	X	MI	Republic of Moldova	X	TZ	United Republic of Tanzania
X	DM	Dominica						
X	$\mathbf{DZ}$	Algeria	X	MC	Madagascar	K	UG	Uganda
X	EC	Ecuador	X	MK	The former Yugoslav Republic of	X	US	
		Estonia			Macedonia			
X	ES	Spain	X	MN	l Mongolia			Uzbekistan
X	FI	Finland	X	MV	VMalawi	K	VC	Saint Vincent and the Grenadines
X	GB	United Kingdom			Mexico			
					Z Mozambique			
		Georgia				-		South Africa
X	GH	Ghana	X	NO	Norway			Zambia
X	GM	Gambia	X	NZ	New Zealand	X	ZW	Zimbabwe
Ch		boxes below reserved for designating	Sta	tes v	which have become party to the PCT		issu	nance of this sheet:

Precautionary Designation Statement: In addition to the designations made above, the applicant also makes under Rule 4.9(b) all other designations which would be permitted under the PCT except any designation(s) indicated in the Supplemental Box as being excluded from the scope of this statement. The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation (including fees) must reach the receiving Office within the 15-month time limit.)

	S	heet No4		<del></del>		
Box No. VI PRIORITY	CLAIM					
The priority of the following	earlier application(s) is herel	by claimed:		00		
Filing date Number		Where earlier application is:				
of earlier application (day/month/year)	of earlier application	national application: country or Member of WTO	regional application:* regional Office	international application: receiving Office		
item (1)						
item (2)			·			
item (3)				·		
item (4)						
item (5)						
Further priority claims a	are indicated in the Suppleme	ental Box.	·			
The receiving Office is reque if the earlier application was above as:  all items item (	filed with the Office which for		tional application is the r			
* Where the earlier application Industrial Property or one Me	on is an ARIPO application, ir ember of the World Trade Or	ndicate at least one country ganization for which that e	party to the Paris Conve varlier application was fil	ntion for the Protection of led (Rule 4.10(b)(ii)):		
Box No. VII INTERNAT	IONAL SEARCHING AUT	CHODITY				
BOX NO. VII INTERNAT						
Choice of International Sea international search, indicate	rching Authority (ISA) (if the Authority chosen; the two	wo or more International S -letter code may be used):	earching Authorities are	competent to carry out the		
ISA / .CN						
Request to use results of ear		hat search <i>(if an earlier se</i>	arch has been carried ou	t by or requested from the		
International Searching Author Date (day/month/year)	Numb	er Coun	try (or regional Office)			
Box No. VIII DECLARAT	TONS					
The following declarations a check-boxes below and indica				Number of declarations		
Box No. VIII (i)	Declaration as to the identit	y of the inventor		:		
Box No. VIII (ii)	Declaration as to the applic date, to apply for and be gr		e international filing	:		
Box No. VIII (iii) Declaration as to the applicant's entitlement, as at the international filing date, to claim the priority of the earlier application :						
Box No. VIII (iv)	Declaration of inventorship United States of America)	o (only for the purposes of	the designation of the	:		
Box No. VIII (v)	Declaration as to non-preju	Idicial disclosures or excer	otions to lack of novelty	:		

Sheet No5				
Box No. IX CHECK LIST; LANGUAGE C	of filing			
This international application contains:  (a) in paper form, the following number of	This international application is accompanied by the following item(s) (mark the applicable check-boxes below and indicate in right column the number of each item):	Number of items		
sheets:	1. X fee calculation sheet	: 1		
request (including declaration sheets) : 5	2. Toriginal separate power of attorney	: [		
description (excluding	3. Original general power of attorney	:		
sequence listings and/or tables related thereto) 17	A Cl conv of general power of attorney; reference number,			
claims : 4	if any:			
abstract : 1	5. statement explaining lack of signature 6. priority document(s) identified in Box No. VI as	·		
drawings : 9	6. I priority document(s) identified in Box 140. 41 as item(s):			
Sub-total number of sheets: 36 sequence listings:	7. Translation of international application into (language):	:		
tables related thereto  (for both, actual number of	8.  separate indications concerning deposited microorganism or other biological material	:		
sheets if filed in paper form, whether or not also filed in	9. sequence listings in computer readable form (indicate type and number of carriers)	,		
computer readable form; see (c) below)	(i) copy submitted for the purposes of international search Rule 13ter only (and not as part of the international app	nication).		
Total number of sheets : 36	(ii) (only where check-box (b)(i) or (c)(i) is marked in left column additional copies including, where applicable, the copy purposes of international search under Rule 13ter	for the		
(Section 801(a)(i))  (i) sequence listings	(iii) together with relevant statement as to the identity of the copies with the sequence listings mentioned in left columns.	e copy or		
(ii) tables related thereto	10.  tables in computer readable form related to sequence listin (indicate type and number of carriers)	gs		
(c) also in computer readable form (Section 801(a)(ii))	(i) copy submitted for the purposes of international search Section 802(b-quater) only (and not as part of the international search section 802(b-quater))	ı under		
(i) ☐ sequence listings (ii) ☐ tables related thereto	application)	• 1		
Type and number of carriers (diskette, CD-ROM, CD-R or other) on which are contained the	(ii) (only where check-box (b)(ii) or (c)(ii) is marked in left coadditional copies including, where applicable, the coppurposes of international search under Section 802(b-c)	fucier) ·		
sequence listings:	(iii) together with relevant statement as to the identity of the copies with the tables mentioned in left column	e copy or :		
tables related thereto:	11.  other (specify):	· · · · · · · · ·		
items 9(ii) and/or 10(ii), in right column)				
Figure of the drawings which should accompany the abstract:	Language of filing of the international application:			
Box No. X SIGNATURE OF APPLICAN  Next to each signature, indicate the name of the person signature.	IT, AGENT OR COMMON REPRESENTATIVE gring and the capacity in which the person signs (if such capacity is not obvious from	n reading the request).		
And the state of t				
	E O COTTON TO THE PARTY OF THE			
· W	Thu to to the second			
	For receiving Office use only			
Date of actual receipt of the purported international application:		2. Drawings:		
received:  3. Corrected date of actual receipt due to later but				
timely received papers or drawings comple the purported international application:	ting	<u> </u>		
4. Date of timely receipt of the required corrections under PCT Article 11(2):		not received:		
5. International Searching Authority (if two or more are competent): ISA /	6. Transmittal of search copy delayed until search fee is paid			
	For International Bureau use only			
Date of receipt of the record copy				
by the International Bureau:				



## PCT

# FEE CALCULATION SHEET Annex to the Request

PCT/CN 03/ 0 1088

International Application No.

19 DEC 2003 (19.12.03)

Applicant's or agent's file reference P3958/BST	Date stamp of the receiving Office
Applicant	
Intel Corporation, etc.	
CALCULATION OF PRESCRIBED FEES	
1. TRANSMITTAL FEE	CNY 500 T CNY 500
2. SEARCH FEE	CNY 1500 S CNY 1500.
International search to be carried out by	
(If two or more International Searching Authorities are competent to carry o search, indicate the name of the Authority which is chosen to carry out the in	ut the international ternational search.)
3. INTERNATIONAL FEE Basic Fee	
Where items (b) and/or (c) of Box No. IX apply, enter Sub-total nu	mber of sheets \ 36
Where items (b) and (c) of Box No. IX do not apply, enter Total nu	mher of sheets }
b1 first 30 sheets	CHF 650 b1
b2 6 x 15 =	CHF 650 61 CHF 650, CHF 90. CH
number of sheets fee per sheet in excess of 30	
b3 additional component (only if sequence listings and/or tables	related
thereto are filed in computer readable form under Section 801 or both in that form and on paper, under Section 801(a)(ii)):	(a)(1),
400 x =	b3
	CHF 740 B CHF 740
Add amounts entered at b1, b2 and b3 and enter total at B	CHF 740 [B]
Designation Fees The international application contains designations.	
5 x 140 =	CHF 700 D CHF 700.
number of designation fees payable (maximum 5) amount of designation fee	
Add amounts entered at B and D and enter total at I	CHF 1440 I CHF 1440.
(Applicants from certain States are entitled to a reduction of 75 international fee. Where the applicant is (or all applicants are) so entitlet to be entered at I is 25% of the sum of the amounts entered at B and L	a, the total D.)
4. FEE FOR PRIORITY DOCUMENT (if applicable)	· [
	CN2000, CH1440 CN72000
5. TOTAL FEES PAYABLE	1
Add amounts entered at T, S, I and P, and enter total in the TOTAL	BOX
The designation fees are not paid at this time.	
MODE OF PAYMENT	
authorization to charge deposit account (see below)	cash coupons
cheque bank draft have	revenue stamps other (specify):
AUTHORIZATION TO CHARGE (OR CREDIT) DEPOSIT ACC	OUNT Receiving Office: RO/
(This mode of payment may not be available at all receiving Offices)	-
Authorization to charge the total fees indicated above.	Deposit Account No.:
This check have may be marked only if the conditions for deposit account	unts Date:
of the receiving Office so permit) Authorization to charge any deficie or credit any overpayment in the total fees indicated above.	Name:
Authorization to charge the fee for priority document.	Signature:

Form PCT/RO/101 (Annex) (January 2003; reprint July 2003)

See Notes to the fee calculation sheet



# Creating Responses for an Electronic Pen-Computer Multimedia Interactive System

#### **BACKGROUND**

#### 1. FIELD

The present invention relates generally to computer systems and, more specifically, to new usage models for personal computers (PCs) in a multimedia interactive mode.

#### 2. DESCRIPTION

Many different input devices have been developed over the years for computer systems such as PCs. Devices such as mice, trackballs, touch screens, joysticks, and so on have been used by both sophisticated and unsophisticated computer users to varying degrees of success. For some unsophisticated users such as small children or the elderly, manipulating these input devices has sometimes been problematic, thereby potentially limiting their enjoyment in using PCs.

One relatively recent advance in input methods is the electronic pen. Users may use an electronic pen to write on traditional paper. The electronic pen sends a wireless signal containing coordinate information to a receiver. The receiver can calculate the pen tip's position information and send this information to the PC. This solution is one of the most natural input methods for a PC. The user can write anything on normal paper. The electronic pen can obtain the absolute position of the pen tip without any dependence on the contents of the written material. Some applications have already been enabled using electronic pen technology. In one example, a pen application can capture a user's handwriting and integrate what has been written into an application program (such as an electronic mail (e-mail) program) in order to send an e-mail containing an image of the handwriting. The electronic pen has also been used as a selection device (much as a mouse is used) to control a window's cursor.



Because use of the electronic pen is more natural than other input methods, it may find utility, especially for unsophisticated computer users. For example, small children and the elderly who have difficulty using a keyboard may be able to effectively input information using the pen. The electronic pen may be especially useful for entering information in Asian languages (such as Chinese) into computers.

In addition, electronic books and/or courseware have become more popular because of the inherent support in these materials for multimedia functions. Users may enjoy audio, video, and still images on a PC and get more information from these materials than from a text-only product. However, readers continue to enjoy the convenience and widespread availability of conventional paper books.

### BRIEF DESCRIPTION OF THE DRAWINGS

1

The features and advantages of the present invention will become apparent from the following detailed description of the present invention in which:

Figure 1 is a diagram of an electronic pen-computer multimedia interactive system according to an embodiment of the present invention;

Figure 2 is a diagram illustrating an electronic pen system according to an embodiment of the present invention;

Figure 3 is a flow diagram of a maker component and a player component in a multimedia system according to an embodiment of the present invention;

Figure 4 is a flow diagram of player processing according to an embodiment of the present invention;

Figure 5 is a flow diagram of maker processing according to an embodiment of the present invention;



Figure 6 is an example of object identification processing according to an embodiment of the present invention;

Figure 7 is a flow diagram of action linkage processing according to an embodiment of the present invention;

Figure 8 is an example of a page in a book supported by the present system; and

Figure 9 is a flow diagram of a logic behavior linking process according to an embodiment of the present invention.

### **DETAILED DESCRIPTION**

Embodiments of the present invention introduce a new usage model for computer systems based on the combination of an electronic pen position location system and traditional paper books. Embodiments of the present invention provide a method to link electronic books and/or courseware with traditional paper books. By using the present invention, a user can enjoy multimedia content on a computer system (such as a PC), while reading a book. The present invention provides interactivity offered by a PC, but based directly on content selected from an existing paper book. Portions of the book's contents may be processed by the system prior to usage by a user in order to set up the linkages between the book's contents and multimedia content stored on the computer system.

Reference in the specification to "one embodiment" or "an embodiment" of the present invention means that a particular feature, structure or characteristic described in connection with the embodiment is included in at least one embodiment of the present invention. Thus, the appearances of the phrase "in one embodiment" appearing in various places throughout the specification are not necessarily all referring to the same embodiment.

Figure 1 is a diagram of an electronic pen-computer multimedia interactive system 100 according to an embodiment of the present invention. In embodiments of the present invention, a computer system 102 interacts with a



traditional paper book 104 being read by a user. The term "book" as used herein may be any pre-existing printed material, such as a fiction or non-fiction book, a periodical such as a magazine, newspaper, or a journal, a coloring book, a pamphlet, an advertisement, and so on. The book may be placed by the user so as to reside on a book holder 106, which holds the book in a fixed relationship to a receiver device 108. An electronic pen (E-pen) 110 may be used by the user to point to and/or write on the book 104. The position of the electronic pen may be determined by the receiver and forwarded over a communications link 112 to the computer system. The communications link may comprise any wired or wireless connection, such as a COM port, universal serial bus (USB), LPT, any variation of implementation of the 802.11 wireless standards, Bluetooth, infrared, and so on.

The computer system includes at least one database and an application 114 to accept the position information of the electronic pen and an indication of what book is being read by the user, and to render multimedia content on the computer system or to provide a selected action in response to reception of the position information. Generally, the responses may include playing one or more of audio content, playing video content, displaying an image or text, or any other multimedia information, or taking a pre-defined action on the computer system (such as adjusting the speaker volume, tuning the display brightness, or powering off the computer system, for example). The responses may be set up in advance of the user reading the book such that the application executing on the computer system links position information of the electronic pen over portions of pages of the conventional, pre-existing published book with selection of an appropriate computer system response.

Ï

Embodiments of the present invention may be used as follows. The receiver 108 may be fixed on top of the book holder 106, while the book 104 is put on the book holder by the user. This means the distance between the book and receiver is fixed. In at least one embodiment, the fixed relationship may include one corner and two sides of the book being situated against a fixed 90 degree angle structure of the book holder. When the user uses the electronic pen 110 to select contents of the book on a currently viewed page, the tip



position information may be calculated by the receiver 108 and sent to the computer system 102. At least one database may be included in the computer system. The at least one database contains action/response information corresponding to the current E-pen position, the contents of the book for the current page, and stored multimedia contents. The database or portions thereof may be local to the computer system 102, or may be stored and accessed externally from the computer system using well-known techniques, such as over the Internet, for example. An application receives the position information, searches the at least one database for an entry correlated to the position information and book contents, and then plays the corresponding multimedia content or takes a corresponding pre-defined action. In at least one embodiment, the multimedia content may be played on consumer electronics devices such as televisions, stereos, computer display monitors, etc., that may be communicatively coupled with the computer system.

One usage of embodiments of the present invention is the teaching of the English alphabet. For example, the book may contain 26 pages, each page containing a letter of the alphabet. A first page may contain a large letter "A" and pictures of different types of apples or other objects starting with the letter "A". When the user selects the letter "A" on that page of the book (perhaps by depressing a button on the E-pen or touching the E-pen to the paper), the application on the computer system causes the computer to emit the sounds for the word "apple", for example, via the computer system's speaker. substantially the same time, the computer system may also be used to show more pictures or play a video of apples of different sizes and colors (for example). Thus, embodiments of the present invention take the contents of a pre-existing book and combine this content with the interactivity of a computer system for enhanced information flow and education/entertainment purposes. When used for education, the present invention combines the power of an existing or newly published traditional paper book with the power of a computer system (in terms of multimedia, and Internet access in some embodiments).

With embodiments of the present invention, many other usage modes are possible. For example, different modes of educational systems may be



designed for different age groups. For children two to four years of age, an application and related database that teach simple words, alphabets, and numbers can be created based on existing books for such purposes. For children five to seven years of age, an application and related database that teach sentences can be created. In other settings, other modes are possible, and the present invention is not limited in this respect. For example, an application and related database that allows tourists to get more information from an existing printed map can be created. In another example, an application that allows for virtual remote control for electronic devices in the home may be created using the system and techniques described herein.

Figure 2 is a diagram illustrating an electronic pen system according to an embodiment of the present invention. The E-pen system obtains absolute tip position information on a page of a book. At least two ultrasound sensors S1 200 and S2 202 may be arranged on a line in the receiver 108, equidistant from a coordinate system origin (0, 0), as noted by (D, 0) and (-D, 0), respectively. The E-pen 110 comprises an ultrasound transmitter T 204. When the pen tip is down, the transmitter sends an ultrasound signal detectable by the receivers. Since the distances L1 = (T, S1) and L2 = (T, S2) are different, the ultrasound signal reaches the two sensors at different times. The receiver 108 may detect the time difference and calculate the length of L1 and L2. The position of T may then be calculated by equation 1:

$$\begin{cases} x = \frac{l_1^2 - l_2^2}{4d} \\ y = \sqrt{l_2^2 - \left(\frac{l_1^2 - l_2^2 - 4d^2}{4d}\right)^2} \end{cases}$$

The X and Y coordinates specify the absolute position information of the pen tip. The E-pen system sends this information to the computer system 102 over connection 112.

Once the position information is received by the user's computer system 102, the information may be processed by an application program called a "player" component herein. The player receives the position information, searches in at least one database for corresponding multimedia content and/or



an appropriate action, and plays the corresponding multimedia and/or performs the action. The user interacts with the player in order to make a traditional paper book into an interactive user experience. The user uses the E-pen to select an object on the book, and the player provides the corresponding response based on the pen tip position and the object type.

Prior to use, at least one database must be generated to contain action/response information relating the pen tip position, current book contents, current page of the book, multimedia contents for the current book, and predefined actions for the current book. An application program executing on a publisher's computer system called a "maker" component herein may be used to create the linkages between these data items. The maker may be used by a publisher (or in some cases by a sophisticated user) to make an interactive multimedia product based on an existing traditional paper book (or possibly a newly published book), with limited manual work. The input data to the maker includes the page images of the book, additional multimedia content, and predefined actions. The publisher selects an object on a page image, and links the relevant multimedia content and/or action with the selected object. All linkage information may be stored in the at least one database.

In one embodiment, the publisher's computer system may be the same as the user's computer system for the case where the interactive multimedia product and/or the book are produced by the user or another person at the user's site (e.g., a parent prepares the linkages for use by a child). In one embodiment, the multimedia content may comprise one or more of digital images, digital video, digital audio files, and text files produced by or obtained by the user. In one embodiment, the user may provide digital images as the pages of the book (e.g., the user's original digital photographs) and specify the linkages of objects on each page of the book with the multimedia content.

Figure 3 is a flow diagram of a maker component 300 and a player component 302 in a multimedia system according to an embodiment of the present invention. At block 304, the maker component 300 accepts as input images of one or more pages of a book and then defines zone information for objects represented on those pages. In one embodiment, the maker may



accomplish this through interaction with a system user acting as a publisher of the multimedia content. At block 308, the maker sets up the linkage between pen positions, the contents of the book (e.g., objects found on pages of the book), and related multimedia contents (e.g., associated audio, video, images, text, and so on) and/or actions, using multimedia files and actions 310 as input data. At block 312, the maker packages the databases for subsequent use by the player component 302. In one embodiment, the publisher provides the multimedia files when operating the maker component and installs them in the databases distributed to the user's computer system with the player component. In another embodiment, the publisher provides links to the multimedia files accessible over a network such as the Internet. In this embodiment, the player component obtains the files as needed using a known file transfer protocol or the well known hyper text transfer protocol (HTTP).

The databases comprise at least a book content database 314, a multimedia database 316, and an action library 318. The book content database contains the images of pages of the book, positional information about objects on the pages, and linkage information between the objects and multimedia contents or actions/responses. The multimedia database contains audio, video, images, text, and other data corresponding to objects on pages of the book for rendering for perception by the user. The action library 318 contains directives for pre-defined actions to be performed by the user's computer system when the position of the electronic pen coincides with an object on a page of the book indicating the associated action. embodiment, the actions may include selecting a human language for subsequent communication, adjusting the volume of a speaker, adjusting the brightness of a computer monitor, sending commands to an input/output (I/O) port, powering off the computer system, and so on. Other actions are also contemplated. In one embodiment, the three databases described herein may be combined into a single database.

Ŋ

The databases corresponding to the book may then be distributed using any known mechanism to the user's computer system. After the player application is installed on the user's computer system, the user may put the



book on the book holder, start up the player component 302 on the computer system, and begin to interact with the book. When the user selects an area on the book or book holder that has meaning to the system, the user has selected a valid input. In one embodiment, selecting other areas by the user may be ignored by the system. At block 320, the user selects an object represented on a page of the book using the electronic pen. At block 322, the receiver calculates the current pen tip position during the selection. At block 324, the receiver 108 sends the pen tip position information to the computer system 102 using the connection 112. At block 326, the player component running on the computer system receives the position information and searches the book content database 314 to obtain information relating to an object (if any) selected by the current pen position on the current page. If an object is selected and multimedia content and/or an action are associated with the selected object, the player component plays the corresponding multimedia content and/or performs the specified action at block 328. The player component uses data from the multimedia database 316 and the action library 318 in performing block 328. The player component directs the playing of the content on the computer system and/or a communicatively coupled consumer electronics device such as a television.

Figure 4 is a flow diagram of player processing according to an embodiment of the present invention. The player receives the current position information from the electronic pen system at block 400. At block 402, the player determines, in one embodiment, based on the current position information of the pen, if the user is selecting a special area on the page of the book, or on the receiver or book holder. If so, the player processes, in one embodiment, a selected pre-defined action at block 404, using the action library 318 as input data. Pre-defined actions may include such things as increasing or decreasing the volume of a speaker, adjusting visual attributes of a computer monitor, selecting a human language for subsequent communication, and so on. Other actions may be defined for specific implementations and the present invention is not limited in this respect. In one embodiment, the action may be used to control the player component or the computer system, these actions

才

1088

having no relationship with the book's contents. If the current pen position information does not indicate a special area, then the player compares the position information with known objects for the page of the book as stored in the book content database 314. The player determines which object of the page is selected (if any) at block 406, based on boundary coordinates of the object and the current pen position information. If an object is selected, the player at block 408 gets the selected object's linkage information from one or more of the book content database, the multimedia database 316, and the action library 318. At block 410, the player plays the linked multimedia content or processes an action based on the object linkage information.

Before the user can cause the rendering of related multimedia content or cause related actions to be performed on the computer system as a result of selecting an object on a page of a book using the electronic pen, the databases must be populated and the linkages between objects, positions and content and actions must be set up. This processing may be performed by a maker component according to embodiments of the present invention. The present maker solves the problem of how to create electronic material from a traditional book with limited effort by a publisher or user. Embodiments of the present invention provide a general method for creating actions/responses on a computer system from paper books. Based on the present invention, the publisher or user can create interactive multimedia material linked to the existing or newly published traditional paper book with limited manual work.

The maker creates different actions or responses to selection of an object defined on a page of a book. Here, the term "object" may be any zone containing specific meaning on the page (for example, a boy's picture, a picture of an apple, and so on). With limited input by the publisher or user, the maker identifies the object on the page. In various embodiments, the responses include playing audio, video, showing an image, or rendering any other multimedia information, performing a pre-defined action, or executing a logic script based on input from the user. The input data for the maker include page images of a book 500, multimedia contents 502, and a pre-defined action library 318. The output data of the maker includes the book content database

ازار



314, the multimedia database 316, and the action library 318. The book content database contains the linkage relationship among objects on each page, multimedia contents in the multimedia database, and pre-defined actions from the action library.

The maker provides three services. First, the maker identifies the objects on a page. The maker determines each object's boundary information based on limited user inputs. Second, the maker creates the linkage among the objects, actions, and responses. For example, if an audio file is linked to an object, when the user selects that object with the electronic pen, the player can then play that audio file. More than one multimedia file and one or more action/response may be linked to each object. Third, the maker packages the databases. When the publisher or user finishes setting up linkages for the pages of a book, the maker packages all of the information into the book content database, the multimedia database, and the action library for distribution with the player to a user's computer system.

Figure 5 is a flow diagram of maker processing according to an embodiment of the present invention. At block 504, the maker creates new blank book databases to hold the book contents (e.g., object definitions and linkages), multimedia, and actions. At block 506, in one embodiment, the maker allows the publisher or user to identify an object zone by using the electronic pen or a mouse and image processing algorithms. The page images used by this operation may be obtained by scanning using a scanner or may be pre-existing image files. In one embodiment, a book may be put on the book holder and the page image may be displayed on a monitor of the computer system. In this scenario, the boundary of an object on the displayed page image may be used to define the object.

In various embodiments, the maker may use one or more of several methods to identify the objects on the page image. In one embodiment, the publisher or user uses the electronic pen to draw a curve along the boundary of the object on the page of the book, or selects key points on that boundary. The electronic pen system sends the pen position information to the maker, and the maker thus obtains an array of position information of the object. Depending

on the publisher's drawing speed, the maker may rescale the set of points and mark them as an object boundary. Alternatively, the publisher may use a mouse to draw a curve along the boundary of the object on the page image as the page image is displayed on the monitor, or the publisher may modify a shape (such as a triangle, rectangle, ellipse or polygon) as is well known in the art to encapsulate the boundary of the object. In yet another embodiment, the publisher may use a mouse to select a set of boundary points of the object displayed on monitor. The maker then applies one or more known digital image processing algorithms to identify the object boundary automatically. For example, known "intelligent scissor" or "magic wand" algorithms may be used. In some embodiments, the algorithms identify objects by examining pixel's gray scale values, colors, and other image information. Figure 6 is an example of an identification of objects process according to one embodiment of the present invention. In this example, the maker has identified several objects in the page image and created a boundary for each object. In this way, all objects may be determined for a page image.

Next, at block 508, the publisher or user uses the maker to manually create a linkage among the objects, actions, and responses. The publisher or user selects an object and assigns actions and/or responses to the object. In at least one embodiment, there are three kinds of actions/responses.

First, the player may play multimedia contents, including playing video, playing audio, showing one or more images, or showing text. In this case, the publisher links the multimedia files to an object. The maker logs this linkage information and saves the link to the book content database.

Second, the player may execute a pre-defined action other than playing video, audio, images, or text. For example, the pre-defined action may be adjusting the volume of the speaker of the computer system, adjusting brightness of the monitor, sending commands to any I/O port, or any other action affecting the computer system. The pre-defined actions may be classified into groups. Each group may comprise a dynamic link library (DLL) 510. A software interface may be defined between the DLLs and the maker. For example, in one embodiment, "GetActionList (LPSAction a\_SActionArray,



DWORD dwArrayLength,)" and "CallActionByID (INT ActionID)" application program interfaces (APIs) may be implemented for each DLL. The "GetActionList" function returns all valid action names and their action IDs. The maker can call this API and display the action name list on the maker component's user interface (UI). When the publisher or user links an action name to an object, the maker assigns the corresponding Action ID to that object and saves this linkage information in the book content database. When the player wants to execute the action of the object, the player gets the action ID from the database and calls the "CallAction ByID (INT ActionID)" function. The CallActionByID() invokes the specific action based on the Action ID.

This processing is shown in Figure 7. Figure 7 is a flow diagram of action linkage processing according to an embodiment of the present invention. At block 700, the maker 300 calls the get action list API, which accesses the action list 702. Each entry in the action list may be indicated by a unique action ID. Some examples of actions are shown in Figure 7, but other actions may also be used. At block 704, the maker links the action ID to the object currently being processed. At block 706, the maker packages the linkage information to the action library 318. The action library may be subsequently read by the player component 302. At block 708, when a particular object is selected and the object is linked to an action, the player gets the action ID from the action library. At block 710, the player component calls the action by using the action ID and the CallActionByID() API. The action is then performed by the computer system at block 712.

Third, the player may execute complex logic behavior based on previous inputs from users. For example, suppose there are images of animals on the current page of the book, along with two buttons as shown in Figure 8. When a user selects the "English" button 800 first (using the electronic pen), and then selects any animal's picture on the page, the player plays the audio file (for example) which contains the name of the animal in the English language. However, when the user selects the "Chinese" button 802 first, and then selects an animal's picture, the player plays the audio file which contains the name of the animal in the Chinese language. This is merely an example of complex

. ji

1088

logic behavior. Many other responses may be made based on successive user inputs.

This logic behavior extends the behavior of an object by adding a publisher's own functionality. In one embodiment, it may be implemented by adding a script language extension ability to the maker 300. In various embodiments, the script language may be any known language for such a purpose, such as VBScript, JScript, JavaScript, PerlScript, PythonScript, etc. In one embodiment, there may be a script module for each page of the book. The publisher or user may design a script function for an object. A page global variable or other functions may also be defined in the script module. The maker may save the script module for each page in the action library 318. The player loads the script module for the current page from the action library and adds the script module to a corresponding script engine (e.g., an executable module for processing scripts). When a user select an object with a script function assigned to it, the player will execute the script function using the script engine.

Figure 9 is a flow diagram of this logic behavior linking process according to an embodiment of the present invention. At block 900, the maker defines the page global variable and functions for a selected page of the book. A simplified example of play audio and video functions is show at block 902. At block 904, the maker defines the script function for a selected object. A fragment of a script function example is shown at block 906. At block 908, the maker packages the linkage information and the script function as a script module and stores the linkage information and the script function in the action library. Subsequently, when the user is interacting with a current page of the book, the player loads the script module for the current page from the action library. At block 912, the player adds the script module to the script engine. In one embodiment, the script engine may be VBScript or Jscript as provided by versions of the Windows operating system commercially available from Microsoft Corporation. At block 916, the player may call the script function when the user selects an object linked to a script. The call to the script function results in the script engine processing the script associated with the selected

្ន



object. At block 918, the action is performed as a result of the operation of the script engine.

Returning back to Figure 5, at block 512, the maker stores all linkage information, multimedia files, and other actions/responses into the appropriate places in the multimedia database, the book content database, and the action library. At block 514, in one embodiment, the maker generates a preview of the page in the book for verification by the publisher or user that the intended linkages have been stored. At block 516, the maker packages the databases 518 for subsequent distribution to the user's computer system.

Embodiments of the present invention provide at least the following advantages over existing multimedia systems. The user can use the electronic pen as the form of input. This is the most natural input method for a computer system such as a PC. With this input method, the present invention can be used by people who are not familiar with typing on a keyboard. The user can still read or look at the traditional book. In the meantime, the user can also control getting multimedia information from the PC. This means that the user can enjoy both the advantages of paper books and the multimedia capabilities that the computer offers, including audio, video, images, and text available locally or via a network such as the Internet. Additionally, new usage models are enabled by embodiments of the present invention. In just two examples, an educational system can be provided using embodiments of the present invention which allows children to learn a language, and tourists can use the invention to get more active information from a traditional map. Many other usage models are possible with the present invention.

11

Thus, described herein are methods and apparatus to accelerate the conversion from traditional books to interactive multimedia books requiring limited user input. A publisher may use the techniques described herein to build interactive materials based on existing paper books. The present invention provides multiple methods to identify objects on the page. A publisher or user can either use the electronic pen to define the boundary of the object on the paper, or use a mouse to define the boundary of the object on the computer system's monitor with the assistance of known digital image

processing algorithms. Additionally, actions may be enabled for a book. This means the user may control the computer system through interaction with a page of a book. Finally, logic behavior may be enabled for a book. This feature extends the book's contents in an infinite number of ways. For example, an existing book may be transformed into a virtual multi-language learning book, a virtual musical instrument, or a virtual remote controller for a consumer electronics device. Other applications are contemplated with embodiments of the present invention.

Although the operations described herein may be described as a sequential process, some of the operations may in fact be performed in parallel or concurrently. In addition, in some embodiments the order of the operations may be rearranged without departing from the spirit of the invention.

The techniques described herein are not limited to any particular hardware or software configuration; they may find applicability in any computing or processing environment. The techniques may be implemented in hardware, software, or a combination of the two. The techniques may be implemented in programs executing on programmable machines such as mobile or stationary computers, personal digital assistants, set top boxes, cellular telephones and pagers, and other electronic devices, that each include a processor, a storage medium readable by the processor (including volatile and non-volatile memory and/or storage elements), at least one input device, and one or more output devices. Program code is applied to the data entered using the input device to perform the functions described and to generate output information. The output information may be applied to one or more output devices. One of ordinary skill in the art may appreciate that the invention can be practiced with various computer system configurations, including multiprocessor systems, minicomputers, mainframe computers, and the like. The invention can also be practiced in distributed computing environments where tasks may be performed by remote processing devices that are linked through a communications network.

Ĵ.

Each program may be implemented in a high level procedural or object oriented programming language to communicate with a processing system.

O LU 8 8

However, programs may be implemented in assembly or machine language, if desired. In any case, the language may be compiled or interpreted.

Program instructions may be used to cause a general-purpose or special-purpose processing system that is programmed with the instructions to perform the operations described herein. Alternatively, the operations may be performed by specific hardware components that contain hardwired logic for performing the operations, or by any combination of programmed computer components and custom hardware components. The methods described herein may be provided as a computer program product that may include a machine readable medium having stored thereon instructions that may be used to program a processing system or other electronic device to perform the methods. The term "machine readable medium" used herein shall include any medium that is capable of storing or encoding a sequence of instructions for execution by the machine and that cause the machine to perform any one of the methods described herein. The term "machine readable medium" shall accordingly include, but not be limited to, solid-state memories, optical and magnetic disks, and a carrier wave that encodes a data signal. Furthermore, it is common in the art to speak of software, in one form or another (e.g., program, procedure, process, application, module, logic, and so on) as taking an action or causing a result. Such expressions are merely a shorthand way of stating the execution of the software by a processing system cause the processor to perform an action of produce a result.

While this invention has been described with reference to illustrative embodiments, this description is not intended to be construed in a limiting sense. Various modifications of the illustrative embodiments, as well as other embodiments of the invention, which are apparent to persons skilled in the art to which the invention pertains are deemed to lie within the spirit and scope of the invention.

4



#### **CLAIMS**

#### What is claimed is:

1. A computer-implemented method of correlating printed material to a response produced by a computer system comprising:

defining an object on a page of the printed material; and linking a position of the object on the page, and a related response to be performed by the computer system.

- 2. The computer-implemented method of claim 1, wherein the response comprises at least one of rendering audio content, rendering video content, rendering image content, rendering text content, and performing an action by the computer system.
- 3. The computer-implemented method of claim 2, further comprising generating a multimedia database to store digital multimedia content including at least one of audio content, video content, image content, and text content; a printed material content database to store positional information about objects on the pages and linkage information between the objects and at least one of the multimedia contents and actions; and an action library to store directives for actions to be performed on the computer system.
- 4. The computer-implemented method of claim 2, wherein defining the object on the page comprises using an electronic pen to outline boundaries of the object on the page.
- 5. The computer-implemented method of claim 2, wherein defining the object on the page comprises using an electronic pen to select key points on the boundary of the object on the page.
  - 6. The computer-implemented method of claim 2, wherein defining the



object on the page comprises using a mouse to manipulate a graphical object on a display to encapsulate the boundary of the object on the page as displayed on the display.

- 7. The computer-implemented method of claim 2, wherein defining the object on the page comprises using a mouse to select key points on the boundary of the object on the page as displayed on a display.
- 8. The computer-implemented method of claim 2, wherein the printed material comprises a traditional paper book.
- 9. The computer-implemented method of claim 2, wherein the printed material comprises material generated by a user.
- 10. An article comprising: a storage medium having a plurality of machine accessible instructions, wherein when the instructions are executed by a processor, the instructions provide for correlating printed material to a response produced by a computer system by defining an object on a page of the printed material; and linking a position of the object on the page and a related response to be performed by the computer system.
- 11. The article of claim 10, wherein the response comprises at least one of rendering audio content, rendering video content, rendering image content, rendering text content, and performing an action by the computer system.
- 12. The article of claim 11, further comprising instructions for generating a multimedia database to store digital multimedia content including at least one of audio content, video content, image content, and text content; a printed material content database to store positional information about objects on the pages, and linkage information between the objects and at least one of the



multimedia contents and actions; and an action library to store directives for actions to be performed on the computer system.

- 13. The article of claim 11, wherein instructions for defining the object on the page comprise instructions for using an electronic pen to outline boundaries of the object on the page.
- 14. The article of claim 11, wherein instructions for defining the object on the page comprise instructions for using an electronic pen to select key points on the boundary of the object on the page.

)

- 15. The article of claim 11, wherein instructions for defining the object on the page comprise instructions for using a mouse to manipulate a graphical object on a display to encapsulate the boundary of the object on the page as displayed on the display.
- 16. The article of claim 11, wherein instructions for defining the object on the page comprise instructions for using a mouse to select key points on the boundary of the object on the page as displayed on a display.
- 17. The article of claim 11, wherein the printed material comprises a traditional paper book.
- 18. The article of claim 11, wherein the printed material comprises material generated by a user.
- 19. A system for associating a selected object on any printed material to a valid response provided by a computer system comprising:
  - a pointing device to determine a position on the printed material;
  - a communicating device to transmit the position to the computer system;



a maker component to define an object on a page of the printed material; and to link a position of the object on the page and a related response to be performed by the computer system; and

a player component to correlate the pointed position to selected content associated with the printed material, the selected content being accessible by the computer system; and to provide a valid response to a user based at least in part on the pointed position and the correlated content, wherein the valid response includes at least one of rendering audio content, rendering video content, rendering image content, rendering text content, and performing an action by the computer system.


- 20. The system of claim 19, wherein the pointing device comprises an electronic pen.
- 21. The system of claim 19, further comprising a multimedia database to store digital multimedia content, a printed material content database to store positional information about objects on the pages and linkage information between the objects and at least one of the multimedia contents and actions, and an action library to store directives for actions to be performed on the system.
- 22. The system of claim 19, wherein the printed material comprises a traditional paper book.



#### ABSTRACT OF THE DISCLOSURE

A system for associating a selected object on any printed material to a valid response provided by a computer system includes a maker component to define an object on a page of printed material, and to link a position of the object on the page, the contents of the page, and the response to be performed by a computer system. The system also includes a pointing device to determine a position on the printed material, a communicating device to transmit the position to the computer system, and a player component to correlate the position to selected digital content associated with the printed materials, the selected digital content being accessible by the computer system; and to provide a valid response to a user based at least in part on the position and the correlated content, wherein the valid response includes at least one of rendering audio content, rendering video content, rendering image content, and performing an action by the computer system.










Figure 2

TO THE POST OF THE PROPERTY OF






Figure 3



or for the control of the control of




Figure 4




Figure 5






Figure 6






Figure 7







Figure 8





THE PROPERTY OF THE STATE OF TH

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Потикр.

# IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.